

TOWA

LABEL APPLICATOR

APN • APF


Series Series

AP

Series

Built-in Mech-Sensor

Precision technology creates
a lineup of versatile Label Applicators
that meet a wide range
of label and sticker needs!



MSC Computer Vertriebs-Gesellschaft mbH
Lötsch 39
41334 Nettetal
Deutschland
Telefon: 02153 - 95200
Email: info@msc-computer.de
URL: www.msc-computer.de



APN Series


APN-30



APN-60



APN-100



The Mech-Sensor catches the label and automatically detects the stroke for smooth feeding.

- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 18x20mm up to 60x100mm.

MODEL	LABEL GAP(mm)	LABEL SIZE(mm) STROKE	WIDTH	MAX. OUTSIDE DIAMETER(mm)
APN-30			20-30	
APN-60	2-3	18-60	25-60	100
APN-100			50-100	

APF Series

APF-30



APF-60



APF-100



Slide The Mech-Sensor to the left or right until it is in the center of the label.

- For eye-catching labels of various shapes that appeal to customers.
- Supports use of the label size from 20x20mm up to 60x100mm. For pre-printed general roll labels. No special (punched or slit) labels or separators required.

MODEL	LABEL GAP(mm)	LABEL SIZE(mm) STROKE	WIDTH	MAX. OUTSIDE DIAMETER(mm)
APF-30			20-30	
APF-60	2-3	20-60	20-60	100
APF-100			20-100	

APN10

APN10-30



The smaller the label it is when you dispense, the more troublesome it becomes.... It assures high performance for small labels.

The new type of a premium tool, APN10-30 assures high performance for small labels.

- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 10x30mm up to 60x30mm.

MODEL	LABEL GAP(mm)	LABEL SIZE(mm) STROKE	WIDTH	MAX. OUTSIDE DIAMETER(mm)
APN10-30	2-3	10-60	20-30	100

Notice

- Labels must be more than 50µm thick for all models.
- Some types of film, synthetic paper, and other special labels may not be supported.
- Please ask our distributor for details before using special labels.
- We reserve the right to change specifications without notice for improvement.

© J.P. PAT. 2708677, 2708680

TOWA CO.,LTD.

Ginza YK Bldg., #10-9, Ginza 5-chome,
Chuo-ku, Tokyo 104-0061, Japan
Tel: +81-3-3572-9621 Fax: +81-3-3572-9620
http://www.towa.jp/export/ e-mail: export@towa-ld.co.jp

TOWA

LABEL APPLICATOR APN10

APD

Series

The new type of a premium tool.

The smaller the label it is when you dispense,
the more troublesome it becomes.....

It assures high performance for small labels.

