

---

# DS82 Series

Exceptional scanning. Unmatched innovation.

Accessory Guide



---

# Customize Your Solution With A Full Range of Accessories



We offer a choice of power supplies, battery packs, capacitors, USB adapters, mounts and holsters to fit every barcode scanning need. Enhance productivity for your workforce with accessories designed to complement and enhance scanner operation. Part numbers may vary by region.

# Cradles

## DS8288-SR / DS8288-R

### CR8288-SC100F4WW

DS8288: Standard Cradle, Inductive, Bluetooth, FIPS, Midnight Black



### CR8288-PC100F4WW

DS8288: Presentation Cradle, Inductive, Bluetooth, FIPS, Midnight Black

#### Standard Cradle:

Holds the scanner either vertically or horizontally for desk or wall mounting.

### CR8288-SC100FBCN

DS8288: Standard Cradle, Inductive, Bluetooth, FIPS, Midnight Black, China Only



### CR8288-PC100F4CN

DS8288: Presentation Cradle, Inductive, Bluetooth, FIPS, Midnight Black, China Only

#### Presentation Cradle:

Holds scanner upright and if presentation scanning is enabled on the scanner, automatically switches between presentation scanning when the scanner is in the cradle and triggered scanning when the scanner is removed.



# Swappable power sources

## DS8288-SR / DS8288-R

Two interchangeable power options make it easy to choose the right power solution for your workflows—and switch any time your needs change

BTRY-DS82EAB0E-00

BTRY-DS82EAB0E-00Y (India Only)



### PowerPrecision+ battery

Over three full days of 24x7 scanning (100,000 scans)

Up to 25% longer battery life than the closest competitor

A wealth of battery metrics for better management

Gives users the flexibility to be away from a charging cradle for extended periods

SUPR-DS82EAB0E-00



### PowerCap™ supercapacitor

Greener alternative; designed for longevity so there are no batteries to manage or dispose of

Up to 6,000 scans per charge, 8x more than competing models

Ultra-fast charging minimizes downtime: ready for 100 scans in just 35 seconds

Capable of holding a charge for several hours

# Stands and Cups

## DS8208-SR / DS8208R

STND-GS0082C-04

Gooseneck Intellistand –  
DS8208 (Black)




STND-WS0082C-04

Gooseneck Intellistand,  
Weighted – DS8208 (Black)



CUP-GS0082C-04

Gooseneck Cup - DS8208  
(Black)



# Cables and Cords

## Communication and Power

### Common Cables

CBA-U21-S07ZBR: CABLE - SHIELDED USB: SERIES A CONNECTOR, 7FT. (2.1M), STRAIGHT

CBL-U67-S07ZAR: CABLE - SHIELDED USB-C RIGHT-ANGLE TO USB-A, 5GB DATA TRANSFER, 7FT. (2M), STRAIGHT

CBL-U68-S07ZAR: CABLE - SHIELDED USB-C RIGHT-ANGLE TO USB-C, 5GB DATA TRANSFER, 7FT. (2M), STRAIGHT

### Wall Charger PWR-WUA5V12W0XX

Power Supply-100-240 VAC, 5 V, 2.5 A with country specific plugs.

Country	Power Supply Part Number
United States	PWR-WUA5V12W0US
Great Britain	PWR-WUA5V12W0GB
Europe	PWR-WUA5V12W0EU
Australia	PWR-WUA5V12W0AU
China	PWR-WUA5V12W0CN
Argentina	PWR-WUS5V12W0AR
Brazil	PWR-WUA5V12W0BR
Korea	PWR-WUA5V12W0KR
India	PWR-WUA5V12W0IN



